

LOOPTEQ O-400

A return on investment. Literally.
The new return conveyor system.





Rediscover your competitive edge.

Our solution for your requirements

Optimize your production with the new LOOPTEQ O-400! By combining a stacking system with a workpiece return, your production process will be taken to a new level.



Return conveyor system


LOOPTEQ O-400

The high automation of the edge banding machine enables quick and easy removal or stacking of finished parts and ensures smooth workflows. Flexibility and a small footprint make the LOOPTEQ O-400 the perfect addition to your production. It is ideal for small and large manufacturing halls and relieves employees of heavy physical work.



Attachment shows special equipment





Technical Data:

4-sided processing*	
min. workpiece size [mm]	240 x 120
4-sided processing*	
max. workpiece size [mm]	3.100 x 1.300
Workpiece thickness [mm]	8-60
workpiece weight max. [kg]	80

*Depending on the equipment of the processing machine; other workpiece dimensions on request.

ANGULAR WORKPIECE HANDOVER

The angular handover with lifting function returns the workpieces to the operators working height.



COLLECTING WORKPIECES

Workpieces can be conveyed as a layer via the angle handover and stacked collectively via the traverse.



Your benefits at a glance:

- ✓ **Compact design** reduces the floor space requirement and is ideal for manufacturing spaces with low ceilings
- ✓ **Ergonomic design** to relieve your employees
- ✓ **All-in-one:** One control panel and integrated machine control ensure easy operation
- ✓ **Attractive** price-to-performance ratio
- ✓ **In case of service,** only one contact person is necessary



INFO

HOMAG
LOOPTEQ O-400



HOMAG Group AG

info@homag.com
www.homag.com

YOUR SOLUTION